



Health	3
Fire	0
Reactivity	0
Personal Protection	

## Material Safety Data Sheet

### Chromic-Sulfuric Acid Solution MSDS

#### Section 1: Chemical Product and Company Identification

**Product Name:** Chromic-Sulfuric Acid Solution

**Catalog Codes:** SLC2557

**CAS#:** Mixture.

**RTECS:** Not applicable.

**TSCA:** TSCA 8(b) inventory: Water; Chromium Trioxide

**CI#:** Not available.

**Synonym:**

**Chemical Name:** Not applicable.

**Chemical Formula:** Not applicable.

**Contact Information:**

**Sciencelab.com, Inc.**

14025 Smith Rd.

Houston, Texas 77396

US Sales: **1-800-901-7247**

International Sales: **1-281-441-4400**

Order Online: [ScienceLab.com](http://ScienceLab.com)

**CHEMTREC (24HR Emergency Telephone), call:**

1-800-424-9300

**International CHEMTREC, call:** 1-703-527-3887

**For non-emergency assistance, call:** 1-281-441-4400

#### Section 2: Composition and Information on Ingredients

**Composition:**

Name	CAS #	% by Weight
Water	7732-18-5	50
Chromium Trioxide	1333-82-0	50

**Toxicological Data on Ingredients:** Chromium Trioxide: ORAL (LD50): Acute: 80 mg/kg [Rat]. 127 mg/kg [Mouse].

#### Section 3: Hazards Identification

**Potential Acute Health Effects:**

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive, permeator), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Severe over-exposure can result in death. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

**Potential Chronic Health Effects:**

Hazardous in case of skin contact (irritant), of eye contact (irritant). CARCINOGENIC EFFECTS: Classified A1 (Confirmed for human.) by ACGIH, 1 (Proven for human.) by IARC [Chromium Trioxide]. MUTAGENIC EFFECTS: Mutagenic for mammalian somatic cells. [Chromium Trioxide]. Mutagenic for bacteria and/or yeast. [Chromium Trioxide]. TERATOGENIC EFFECTS: Not

available. DEVELOPMENTAL TOXICITY: Not available. The substance may be toxic to kidneys, liver, gastrointestinal tract, upper respiratory tract, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection. Repeated exposure to a highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

#### Section 4: First Aid Measures

**Eye Contact:**

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

**Skin Contact:**

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

**Serious Skin Contact:**

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.

**Inhalation:**

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

**Serious Inhalation:**

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

**Ingestion:**

If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

**Serious Ingestion:** Not available.

#### Section 5: Fire and Explosion Data

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** of organic materials and combustible materials

**Explosion Hazards in Presence of Various Substances:**

Explosive in presence of open flames and sparks, of organic materials. Non-explosive in presence of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

**Special Remarks on Fire Hazards:**

Arsenic reacts with Chromium trioxide with incandescence. A violent reaction or flaming is likely in the reaction of chromium oxide and aluminum powder. Benzene ignites on contact with chromium trioxide. Reacts with Sodium or Potassium with incandescence. A mixture of chromium trioxide, and sulfur ignites on warming. Ignites on contact with alcohols, acetic anhydride + tetrahydronaphthalene, acetone, butanol, chromium (II) sulfide, cyclohexanol, dimethyl formamide, ethanol, ethylene glycol, methanol, 2-propanol, pyridine. Contact with combustible or organic materials may cause fire.

**Special Remarks on Explosion Hazards:**

An explosion can occur when Chromium trioxide is mixed with potassium ferricyanide when dust is ignited by a spark. Chromium trioxide + potassium permanganate will explode. Can react explosively with acetic anhydride + heat, acetic acid + heat,, ethyl acetate, isoamyl alcohol, benzaldehyde, benzene, benzylthylaniline, butraldehyde, 1,3-dimethylhexahydropyrimidone, diethyl ether, ethyl acetate, isopropyl acetate, methyl dioxane, pelargonic acid, pentyl acetate, phosphorus + heat, propionaldehyde, and other organic materials or solvents. (Chromium Trioxide)

**Section 6: Accidental Release Measures****Small Spill:**

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of sodium carbonate.

**Large Spill:**

Corrosive liquid. Poisonous liquid. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Do not touch spilled material. Use water spray curtain to divert vapor drift. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of sodium carbonate. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

**Section 7: Handling and Storage****Precautions:**

Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as combustible materials, organic materials, metals, acids, alkalis.

**Storage:** Keep container tightly closed. Keep container in a cool, well-ventilated area.

**Section 8: Exposure Controls/Personal Protection****Engineering Controls:**

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

**Personal Protection:**

Face shield. Full suit. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

**Personal Protection in Case of a Large Spill:**

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

**Exposure Limits:**

Chromium Trioxide TWA: 0.05 (mg(Cr)/m) from ACGIH (TLV) [United States] Inhalation CEIL: 0.1 (mg(Cr)/m ) from OSHA (PEL) [United States] Inhalation TWA: 0.001 (mg(Cr)/m) from NIOSH [United States] Inhalation Consult local authorities for acceptable exposure limits.

**Section 9: Physical and Chemical Properties**

**Physical state and appearance:** Liquid.

**Odor:** Not available.

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Red-Brown. (Dark.)

**pH (1% soln/water):** Acidic.

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Not available.

**Critical Temperature:** Not available.

**Specific Gravity:** 1.5 (Water = 1)

**Vapor Pressure:** The highest known value is 2.3 kPa (@ 20°C) (Water).

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water, diethyl ether.

**Solubility:**

Easily soluble in cold water, hot water. Soluble in diethyl ether.

## Section 10: Stability and Reactivity Data

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials

**Incompatibility with various substances:** Reactive with combustible materials, organic materials, metals, acids, alkalis.

**Corrosivity:** Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Hygroscopic. Incompatible with alcohol, spirit nitrous ether, almost every organic substance, bromides, chlorides, iodides, hypophosphites, sulfites, sulfides, methanol, furfuryl, ethylene glycol, glycerol, bromine pentafluoride, hydrogen sulfide, butanol, isobutanol, acetaldehyde, propionaldehyde, butylaldehyde, benzaldehyde, benzene, perlargonic acid, isopropyl acetate, pentyl acetate, methyldioxane, dimethyldioxane, acetone, benzylethylaniline, oils, greases or any easily oxidizable material. Acetylene is oxidized violently. Reacts violently with diethyl ether. It will react violently with naphthalene, camphor, glycerol, or turpentine. It will ignite ethy alcohol. Selenium reacts violently with Chromium Trioxide. Can react violently with most metal powders, ammonia, ammonium salts, phosphorus, sulfur, acids, finely divided organic compounds, flammable liquids. (Chromium Trioxide)

**Special Remarks on Corrosivity:**

Corrosive because of oxidizing potency. Corrosive to some metals (Chromium Trioxide)

**Polymerization:** Will not occur.

## Section 11: Toxicological Information

**Routes of Entry:** Absorbed through skin. Dermal contact. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 160 mg/kg (Rat) (Calculated value for the mixture).

**Chronic Effects on Humans:**

**CARCINOGENIC EFFECTS:** Classified A1 (Confirmed for human.) by ACGIH, 1 (Proven for human.) by IARC [Chromium Trioxide]. **MUTAGENIC EFFECTS:** Mutagenic for mammalian somatic cells. [Chromium Trioxide]. Mutagenic for bacteria and/or yeast. [Chromium Trioxide]. Contains material which may cause damage to the following organs: kidneys, liver, gastrointestinal tract, upper respiratory tract, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive, permeator), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:**

Lowest Published Lethal Dose LDL [Rat] - Route: Skin; Dose: 55 mg/kg (Chromium Trioxide)

**Special Remarks on Chronic Effects on Humans:**

May cause adverse reproductive effects (effects on fertility: fetotoxicity or post-implantation mortality) and birth defects. May affect genetic material (mutagenic). May cause cancer (tumorigenic). Epidemiological studies indicate long term exposure to dusts and mists at levels above the current PEL in chrome processing is associated with increases in respiratory tract cancer in man. (Chromium Trioxide)

**Special Remarks on other Toxic Effects on Humans:**

Acute Potential Health Effects: Skin: Causes skin irritation and possible burns. Contact with broken skin may lead to formation of firmly marginated "chrome sores." May cause allergic contact dermatitis. Dermal absorption of large amounts may affect behavior and may result in kidney failure Eyes: Causes eye irritation. May cause severe damage including burns and blindness. Inhalation: Causes irritation of the respiratory tract. May cause severe burns of the nasal septum and respiratory tract, perforation of the nasal septum, congestion, and pulmonary edema. Ingestion: Causes digestive/gastrointestinal tract (mouth, throat, and stomach) irritation or burns with violent epigastric pain, nausea, vomiting and severe diarrhea. May cause tissue destruction resulting in hemorrhaging, circulatory collapse, unconsciousness and possible death. May affect respiration (cyanosis), blood (anemia, thrombocytopenia) May cause kidney failure and liver damage. Chronic Potential Health Effects: Skin: Repeated or prolonged skin contact may cause "chrome sores" on skin (especially broken skin). Eyes: Repeated or prolonged eye contact may cause conjunctivitis. Inhalation: Repeated or prolonged inhalation may cause chronic respiratory tract irritation with chronic rhinitis, hyperemia, chronic catarrh, congestion of the larynx, inflammation of the larynx, polyps of the upper respiratory tract, chronic inflammation of the lungs, emphysema, tracheitis, chronic bronchitis, chronic pharyngitis, bronchopneumonia, ulceration and perforation of the nasal septum. Ingestion: Repeated or prolonged ingestion may cause nausea, vomiting, loss of appetite, kidney damage, inflammation of the liver or even hepatitis with jaundice, leukocytosis, leukopenia, monocytosis, and eosinophilia. (Chromium Trioxide)

## Section 12: Ecological Information

**Ecotoxicity:** Not available.

**BOD5 and COD:** Not available.

**Products of Biodegradation:**

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The products of degradation are less toxic than the product itself.

**Special Remarks on the Products of Biodegradation:** Not available.

## Section 13: Disposal Considerations

**Waste Disposal:**

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## Section 14: Transport Information

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Chromic acid, solution UNNA: U755 PG: II

**Special Provisions for Transport:** Not available.

## Section 15: Other Regulatory Information

### Federal and State Regulations:

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer, birth defects or other reproductive harm, which would require a warning under the statute: Chromium Trioxide California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: Chromium Trioxide Connecticut hazardous material survey.: Chromium Trioxide Rhode Island RTK hazardous substances: Chromium Trioxide Pennsylvania RTK: Chromium Trioxide Massachusetts RTK: Chromium Trioxide Massachusetts spill list: Chromium Trioxide New Jersey: Chromium Trioxide New Jersey spill list: Chromium Trioxide TSCA 8(b) inventory: Water; Chromium Trioxide TSCA 6 final risk management: Chromium Trioxide TSCA 8(a) IUR: Chromium Trioxide TSCA 12(b) annual export notification: Chromium Trioxide

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

**WHMIS (Canada):** CLASS E: Corrosive liquid.

### DSCL (EEC):

R34- Causes burns. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of water. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

**Personal Protection:**

### National Fire Protection Association (U.S.A.):

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

**Specific hazard:**

### Protective Equipment:

Gloves. Full suit. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Face shield.

## Section 16: Other Information

**References:** Not available.

**Other Special Considerations:** Not available.

**Created:** 10/10/2005 12:59 AM

**Last Updated:** 05/21/2013 12:00 PM

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for*

*lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com has been advised of the possibility of such damages.*